FR Adhesive

(Exhaust Sealing Paste)

MSDS

8th November 2023

SAFETY DATA SHEET

FR ADHESIVE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: FR ADHESIVE Product no.: 2020 & 2021

Unique formula identifier (UFI): U300-T08H-Q00D-GJHH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: None known.

Restricted to professional users.

Use descriptors (REACH):

Sectors of use	Description		
SU 19	Building and construction work		
Product category	Description		

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address: Polyseam Ltd.

15 St Andrews Road

HD1 6SB, UK Huddersfield

United Kingdom +44 (0)1484 421 036

https://www.polyseam.com/

E-mail: post.uk@polyseam.com

Revision: 08/11/2023

SDS Version: 1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation. Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements

FR ADHESIVE Page 1 of 11



Hazard pictogram(s):

!

Signal word: Warning

Hazard statement(s): Causes skin irritation. (H315)

Causes serious eye irritation. (H319)

Precautionary statement(s):

General:

Prevention: Wash hands thoroughly after handling.

(P264)

Wear eye protection/protective gloves/protective clothing. (P280)

Response: IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

If eye irritation persists: Get medical

advice/attention. (P337+P313)

Storage: -

Disposal: -

Hazardous substances: None known.

Additional labelling: EUH210, Safety data sheet available on

request.

UFI: U300-T08H-Q00D-GJHH

2.3. Other hazards

Additional warnings: This mixture/product does not contain any

substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU)

2017/2100 or Commission Regulation (EU)

2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Silicic acid, sodium salt	CAS No.: 1344-09-8	10-15%	Skin Irrit. 2, H315	
	EC No.: 215-687-4		Eye Irrit. 2, H319	
	UK-REACH:			
	Index No.:			

FR ADHESIVE Page 2 of 11

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

Ingestion:

-

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this

safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or

other drink.

Inhalation: Upon breathing difficulties or irritation of the

respiratory tract: Bring the person into fresh

air and stay with him/her.

Skin contact: IF ON SKIN: Wash with plenty of water and

soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or

thinners.

If skin irritation occurs: Get medical

advice/attention.

Eye contact: If in eyes: Flush eyes immediately with plenty

of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor.

Continue flushing during transport.

If the person is conscious, rinse the mouth

with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking

on vomited material.

Burns: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

FR ADHESIVE Page 3 of 11



Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Carbon oxides (CO / CO2)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Remove flammable materials if conditions allow it. Ensure sufficient ventilation. Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

FR ADHESIVE Page 4 of 11



7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent

leakage.

Recommended storage material: Keep only in original packaging.

Storage temperature: 5 - 30°C

Dry, cool and well ventilated

Incompatible materials: Strong acids, strong bases, strong oxidizing

agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Occupational exposure limits have not been

defined for the substances in this product.

Appropriate technical measures: Apply standard precautions during use of the

product. Avoid inhalation of vapours.

Hygiene measures: Take off contaminated clothing and wash it

before reuse.

Measures to avoid environmental exposure: No specific requirements.

Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
No special when used as intended.				

Skin protection:

FR ADHESIVE Page 5 of 11



Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	The state of the s

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,38	> 240	EN374-2, EN374-3, EN388	

Eye protection:

Туре	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour: Beige, sand

Odour / Odour threshold: Mild pH: 11.5

Density (g/cm³): 1.85 (20 °C)

Kinematic viscosity: Testing not relevant or not possible due to

the nature of the product.

Dynamic viscosity: 1800000 mPa.s (20 °C)

Particle characteristics: Testing not relevant or not possible due to

the nature of the product.

Phase changes

Melting point/Freezing point (°C):Not applicableBoiling point (°C):Not applicableVapour pressure:Not applicableRelative vapour density:Not applicable

Decomposition temperature (°C): Testing not relevant or not possible due to

the nature of the product.

Data on fire and explosion hazards

Flash point (°C):

Flammability (°C):

Auto-ignition temperature (°C):

Lower and upper explosion limit (% v/v):

Not applicable

Not applicable

FR ADHESIVE Page 6 of 11



Solubility

Solubility in water: Very soluble

n-octanol/water coefficient: Testing not relevant or not possible due to

the nature of the product.

Solubility in fat (g/L): Not applicable

9.2. Other information

VOC (g/L):

Sensitivity to shock: No

Dust explosion class:St0 (No explosion)Evaporation rate (n-butylacetate = 100):Not applicable

Other physical and chemical parameters: No data available.

Oxidizing properties: Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Frost

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

FR ADHESIVE Page 7 of 11



Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

This mixture/product does not contain any substances considered to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

FR ADHESIVE Page 8 of 11



Product is not covered by regulations on dangerous waste.

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK

aw.

EWC code: 08 04 09* Waste adhesives and sealants

containing organic solvents or other dangerous substances

Contaminated packing

EWC code: 08 04 09* Waste adhesives and sealants

containing organic solvents or other dangerous substances

SECTION 14: TRANSPORT INFORMATION

		14.2 UN proper shipping name	14.3 Hazard class(es)	1	1	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

Demands for specific education: No specific requirements.

SEVESO - Categories / dangerous substances: Not applicable.

Additional information: Not applicable.

Sources: Regulation (EU) No 1357/2014 of 18

December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on

classification, labelling and packaging of substances and mixtures (CLP) as retained

and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and

FR ADHESIVE Page 9 of 11

^{**} Environmental hazards



Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

Νo

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H319, Causes serious eye irritation.

The full text of identified uses as mentioned in section 1

SU 19 = Building and construction work

PC 1 = Adhesives, Sealants

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

FR ADHESIVE Page 10 of 11



UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Wol Hluchan

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en